

CLAIMS

What is claimed is:

- del A⁴ 7
1. A computing system comprising:
a network based application;
a server; and
the server including means for dynamically accessing an object
embedded in the network based application.
 2. The computing system of claim 1, wherein the computing system
includes a personal computer.
 3. The computing system of claim 1, wherein the server and the network
based applications are installed on the personal computer.
 4. The computer system of claim 1, wherein the object includes a datum
and a method to manipulate the datum.
 5. The computer system of claim 1, wherein the server accesses the object to
retrieve the datum.

6. The computer system of claim 5, wherein the server transmits the retrieved datum to a non-network based application.
7. A computer-implemented method comprising:
dynamically accessing an object embedded in a network based application.
8. The computer-implemented method of claim 7, further comprising:
dynamically accessing to retrieve an object datum.
9. The computer-implemented method of claim 8, further comprising:
transmitting the retrieved datum to a non-network based application.
10. A server to dynamically receive a datum from a network based application responsive to a request and transmit the datum to a third party application.
11. The server of claim 10, wherein the server, the network based application and the third party application are installed on a personal computer.
12. The server of claim 10, wherein the network based application includes a World Wide Web site.

13. The server of claim 10, wherein the third party application includes a non-network based application.
14. The server of claim 10, wherein the third party application includes a network based application.
15. The server of claim 20, wherein the network based application includes a JavaScript object.
16. The server of claim 10, wherein the server includes a programmatic interface to communicate with the object.
17. A machine-readable medium providing instructions, which if executed by a processor, causes the processor to perform an operation comprising:
dynamically accessing an object embedded in a network based application.
18. The machine-readable medium of claim 17, further comprising:
dynamically accessing to retrieve an object datum.
19. The machine-readable medium of claim 18, further comprising:
transmitting the retrieved datum to a non-network based application.